



Submersible IP67

PORTION CONTROL SCALE









Model	WPS12
Capacity - Increments	12 lb x 0.1 oz / 12 lb x 0.005 lb / 12 lb x 1/8 oz / 192 oz x 0.05 oz / 192 oz x 1/8 oz / 5,500 g x 1 g
Scale Dimensions	7.5 in W x 9.75 in D x 2.25 in H $/$ 190.5 mm W x 247.5 mm D x 57 mm H
Platform Dimensions	7.5 in W x 6.75 in D / 190.5 mm W x 171.45 mm D
Display	1.2-in / 30-mm high backlit blue LCD, 5 digits
Digits	1-in / 25-mm high black LCD
Keypad Buttons	ON/OFF, UNITS/Backlight, SET, TARE
Power	AC Adapter (with US plug included): 100-240 VAC input, 9V @ 1A output Battery (included): Ni-MH rechargeable 4.8 VDC 1800 mA (Note: a plug adapter is required for international use)
Battery Life	80 hours of continuous use with a fully recharged battery pack
Feet	6 rubberized feet for traction
Tare	100% of full scale capacity
Zero	Established on power up routine and maintained by auto-zero circuitry
- 1	40° to 105°F (5° to 40°C) 40° to 140°F (5° to 60°C) Please Note: The Mariner® is not commercial dishwasher safe.
Enclosure Rating	IP67 submersible
Product Weight	3.6 lb / 1.7 kg
Shipping Weight	5 lb / 2.3 kg
UPC Code	809161194302

Detecto Scale reserves the right to improve, enhance, or modify features and specifications without prior notice.



102 E. Daugherty, Webb City, MO 64870 USA Ph: 417-673-4631 or 1-800-641-2008 Fax: 417-673-2153 www.Detecto.com

SOLD BY: